



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: January 3, 2019

To,
Mr Supratim Ganguly, Business Unit Head
at Plot No. D-223/5, PH II, MIDC Chakan

Subject: Environment Clearance for Environmental Clearance for proposed storage & handling of dangerous cargos
Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 155th th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 146th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 6 (b) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	APM Terminals India Pvt. Ltd.
2.Type of institution	Private
3.Name of Project Proponent	Mr Supratim Ganguly, Business Unit Head
4.Name of Consultant	Ultra-Tech Environmnet Consultancy & Laboratory
5.Type of project	Industrial Project --for proposed storage & handling of dangerous cargos
6.New project/expansion in existing project/modernization/diversification in existing project	New
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	NA
8.Location of the project	Plot No. D-223/5, PH II, MIDC Chakan
9.Taluka	Khed
10.Village	Bhamboli
Correspondence Name:	Mr Supratim Ganguly, Business Unit Head
Room Number:	NA
Floor:	11
Building Name:	Urmi Estate,
Road/Street Name:	Ganapatrao Kadam Marg
Locality:	-
City:	Mumbai
11.Area of the project	MIDC, Chakan
12.IOD/IOA/Concession/Plan Approval Number	MIDC, Chakan Sanction obtained IOD/IOA/Concession/Plan Approval Number: MIDC Sanction No. : C88810 of 16 dated 06/09/2016 Approved Built-up Area: 15101.87
13.Note on the initiated work (If applicable)	Construction of ware house which is less than 1,50,000m2 is completed.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	50,000.00
16.Deductions	Not applicable
17.Net Plot area	50,000.00

SEIAA Meeting No: 146 Meeting Date: December 5, 2018 (SEIAA-STATEMENT-000000678)
SEIAA-MINUTES-0000000782
SEIAA-EC-0000000575

Page 1 of 13


Shri. Anil Diggikar (Member Secretary SEIAA)

18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 10517.43
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	20.63 %
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	460600000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Open Yard- Class-2 and its subclass (gases)UN Hazard Classes	0	315 T Maximum storage	315 T Maximum storage
2	Open Yard-Class-3 and its subclass (flammable liquids)UN Hazard Classes	0	315 T Maximum storage	315 T Maximum storage
3	Open Yard-Class-4 and its subclass (flammable solids)UN Hazard Classes	0	50 T Maximum storage	50 T Maximum storage
4	Open Yard-Class-5 and its subclass (oxides & peroxides)UN Hazard Classes	0	50 T Maximum storage	50 T Maximum storage
5	Open Yard-Class-6 and its subclass (Toxic)UN Hazard Classes	0	215 T Maximum storage	215 T Maximum storage
6	Open Yard-Class-8 (corrosives)UN Hazard Classes	0	315 T Maximum storage	315 T Maximum storage
7	Open Yard-Class-9 and its subclass (Miscellaneous)UN Hazard Classes	0	315 T Maximum storage	315 T Maximum storage
8	Ware House; Class-2 and its subclass (gases)Hazard Classes	0	100 T Maximum storage	100 T Maximum storage
9	Ware House; Class-3 and its subclass (flammable liquids)Hazard Classes	0	3500 T Maximum storage	3500 T Maximum storage
10	Ware House; Class-4 and its subclass (flammable solids)Hazard Classes	0	300 T Maximum storage	300 T Maximum storage
11	Ware House; Class-5 and its subclass (oxides & peroxides)Hazard Classes	0	500 T Maximum storage	500 T Maximum storage
12	Ware House; Class-6 and its subclass (Toxic)Hazard Classes	0	6000 T Maximum storage	6000 T Maximum storage
13	Ware House; Class-8 (corrosives)Hazard Classes	0	500 T Maximum storage	500 T Maximum storage
14	Ware House; Class-9 and its subclass (Miscellaneous)Hazard Classes	0	1100 T Maximum storage	1100 T Maximum storage

23. Total Water Requirement

Dry season:	Source of water	MIDC, Chakan
	Fresh water (CMD):	3.6 + Vessel Washing : 3.0 = 6.6
	Recycled water - Flushing (CMD):	4.5
	Recycled water - Gardening (CMD):	1.8
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	12.9
	Fire fighting - Underground water tank(CMD):	300
	Fire fighting - Overhead water tank(CMD):	Not required; since pumps maintain positive pressure in fire hydrant at all times
	Excess treated water	Soak pit
Wet season:	Source of water	MIDC, Chakan
	Fresh water (CMD):	3.6 + Vessel Washing : 3.0 = 6.6
	Recycled water - Flushing (CMD):	4.5
	Recycled water - Gardening (CMD):	1.8
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	12.9
	Fire fighting - Underground water tank(CMD):	300
	Fire fighting - Overhead water tank(CMD):	Not required; since pumps maintain positive pressure in fire hydrant at all times
	Excess treated water	Soak pit
Details of Swimming pool (If any)	NA	

Government of Maharashtra

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	4.5	0	4.5	0	0	0	4.5	0	4.5
Fresh water requirement	3.6	0	3.6	0.6	0	0.6	3.0	0	3.0
Gardening	1.8	0	1.8	0	1.8	1.8	3.0	0	3.0
Industrial Process	3.0	0	3.0	0	0	0	3.0	0	3.0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	12 m below ground level
	Size and no of RWH tank(s) and Quantity:	NA
	Location of the RWH tank(s):	NA
	Quantity of recharge pits:	NA
	Size of recharge pits :	NA
	Budgetary allocation (Capital cost) :	NA
	Budgetary allocation (O & M cost) :	NA
	Details of UGT tanks if any :	NA

26.Storm water drainage	Natural water drainage pattern:	From West to East
	Quantity of storm water:	0.3 m3/sec.
	Size of SWD:	600 mm (W) x 1400 (D) mm

27.Sewage and Waste water	Sewage generation in KLD:	6.3
	STP technology:	Sewage : Extended Aeration ETP : Conventional - Primary & Tertiary
	Capacity of STP (CMD):	6.5 KLD
	Location & area of the STP:	as per the layout
	Budgetary allocation (Capital cost):	Rs. 9.92 Lakhs
	Budgetary allocation (O & M cost):	Rs. 2.50 Lakhs/Annum

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	NA
	Disposal of the construction waste debris:	NA
Waste generation in the operation Phase:	Dry waste:	600 kg/day
	Wet waste:	100 kg/day
	Hazardous waste:	Category No. 34.3 Oil Water Sludge - generated from cleaning of storage tanks once in 5 years : 6.0 MT per year (approx)
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	0.5 kg/day
	Others if any:	E-waste : Negligible
Mode of Disposal of waste:	Dry waste:	Will be disposed off from site through external agency on daily basis.
	Wet waste:	Shall be treated taken away by the canteen contractor.
	Hazardous waste:	CHWTSDF/ MPCB Authorized Recyclers
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	Will be used as manure for landscaping
	Others if any:	E waste : Will be handed over to authorized E-waste handling agency.
Area requirement:	Location(s):	As per the services layout.
	Area for the storage of waste & other material:	04 nos of 550 ltr garbage bins kept in designated place
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

Government of Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	7	7	5.5-9
2	COD	mg/l	70	50	250
3	BOD	mg/l	20	10	100
4	TSS	mg/l	250	50	100
5	TDS	mg/l	300	110	2100
6	oil & Grease	mg/l	5	5	10
Amount of effluent generation (CMD):		3.0 CMD			
Capacity of the ETP:		3.0 CMD			
Amount of treated effluent recycled :		100% recycled			
Amount of water send to the CETP:		NA			
Membership of CETP (if require):		NA			
Note on ETP technology to be used		Conventional			
Disposal of the ETP sludge		6.0 MT per year (approx)			



**Government of
Maharashtra**

30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Spent oil	5.1	Lit	NA	270 ml/day/DG set	270 ml/day/DG set	Will be handed over to authorised vendor
2	Oil Water Sludge - generated from cleaning of storage tanks	34.3	--	--	Once in 5 years : 6.0 MT per year (approx)	Once in 5 years : 6.0 MT per year (approx)	CHWTSDF

31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	DG set	Diesel 40 lit/hr/DG set	1 No.	13.7	0.17	600 deg. C

32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Diesel	0	40lit/hr/- DG set	40lit/hr
Source of Fuel		Authorized Vendors		
Mode of Transportation of fuel to site		By Road		

33. Energy

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	1 No. of 500kVA Mobile DG
	During Operation phase (Connected load):	686 KW
	During Operation phase (Demand load):	500 KVA
	Transformer:	1 no. 500 kVA
	DG set as Power back-up during operation phase:	1 no. 500 kVA
	Fuel used:	HSD
Details of high tension line passing through the plot if any:	NA	

34. Energy saving by non-conventional method:

1. LED Light are considered.
2. Occupancy Sensor for Server area and toilet areas

36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	LED lights in Wire Rope	12 %
2	Occupancy Sensor in Server and Toilet area	1 %

37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
STP	--	STP of capacity 6.5 m3

DG Set	--	1 Nos. of Stacks 500 KVA of DG Set with height 08 Mt
--------	----	--

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	NA
2	NA	NA	NA

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Environmental Monitoring	Ambient Air quality, Noise Level, Exhaust from DG Set, Drinking Water, Sewage from STP, Effluent from ETP	--	3.62
2	Water	STP/ETP	24.42	6.48
3	Energy	Solar PV Cells / Streetlight/Wire rope LED light	100.00	8.00
4	Land Environment	Gardening	0.00	2.52
5	Solid Waste	Solid waste management	1.60	2.52
6	TOTAL	--	126.02	23.14

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Open Yard: Class-2 and its subclass (gases)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	315 T Maximum storage	315 T Maximum storage	Nil	Import and domestic manufacture of cargos which send for storage at our premises	By Road / By Rail
Class-3 and its subclass (flammable liquids)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	315 T Maximum storage	315 T Maximum storage	Nil	Same as above	Same as above
Class-4 and its subclass (flammable solids)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	50 T Maximum storage	50 T Maximum storage	Nil	Same as above	Same as above
Class-5 and its subclass (oxides & peroxides)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	50 T Maximum storage	50 T Maximum storage	Nil	Same as above	Same as above
Class-6 and its subclass (Toxic)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	215 T Maximum storage	215 T Maximum storage	Nil	Same as above	Same as above
Class-8 (corrosives)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	315 T Maximum storage	315 T Maximum storage	Nil	Same as above	Same as above
Class-9 and its subclass (Miscellaneous)UN Hazard Classes	Proposed	open yard storage - proposed quantities of dangerous class	315 T Maximum storage	315 T Maximum storage	Nil	Same as above	Same as above

Ware House: Class-2 and its subclass (gases) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	100 T Maximum	100 T Maximum	Nil	Same as above	Same as above
Class-3 and its subclass (flammable liquids) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	3500 T Maximum storage	3500 T Maximum storage	Nil	Same as above	Same as above
Class-4 and its subclass (flammable solids) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	300 T Maximum storage	300 T Maximum storage	Nil	Same as above	Same as above
Class-5 and its subclass (oxides & peroxides) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	500 T Maximum storage	500 T Maximum storage	Nil	Same as above	Same as above
Class-6 and its subclass (Toxic) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	6000 T Maximum storage	6000 T Maximum storage	Nil	Same as above	Same as above
Class-8 (corrosives) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	6000 T Maximum storage	6000 T Maximum storage	Nil	Same as above	Same as above
Class-9 and its subclass (Miscellaneous) HazardClasses	Proposed	warehouse storage - proposed quantities of dangerous class	1100 T Maximum storage	1100 T Maximum storage	Nil	Same as above	Same as above
40.Any Other Information							
No Information Available							



Government of Maharashtra

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	6 (b)
	Court cases pending if any	No
	Other Relevant Informations	<p>Though we receive quite a few dangerous cargos as per MSIHC Rules, but there are substantial dangerous cargos that are outside the MSIHC too. Moreover, all of the dangerous cargos that we receive are not described and don't have their correct technical names mentioned or communicated anywhere in form of any documents to us. The identification of these dangerous cargo happens only when it comes physically to us at our site. The identification happens by UN classification stickers that are put up on 3 sides of container and after the physical examination done by the Custom's.</p> <p>Keeping all of these in mind, we hereby kindly plead to let us store & segregate the dangerous cargos as per UN classification of hazards as well as IMDG- International Maritime Dangerous Goods code (MSC.1/Circ.1216 of 26 February 2007 titled "Revised recommendations on the safe transport of dangerous cargoes and related activities in port areas"). All the applicable Indian and its related state laws shall be abiding for us.</p> <p>Classes of dangerous goods:</p> <ol style="list-style-type: none"> 1) Class-2 and its subclass (gases): eg.-Helium, R134a, R410A, Butane, Propane etc. 2) Class-3 and its subclass (flammable liquids): eg- Isopropanol, Methanol, MIBK, Toluene, LAB, Acetone / acetone oils, Adhesives, Paints, lacquers, varnishes etc. 3) Class-4 and its subclass (flammable solids): eg.- Phosphorus, Sulphur etc. 4) Class-5 and its subclass (oxides & peroxides): eg.- Potassium nitrate, Aluminium nitrate etc. 5) Class-6 and its subclass (Toxic and Infectious): eg.- Epichlorohydrine, MDI, TDI etc. 6) Class-8 (corrosives) eg.- Acetic, acid, Carboic acid, phenol, Hydrogen fluoride, Iodine, Morpholine 7) Class-9 and its subclass (Miscellaneous): eg.- Polychlorinated biphenyls, Polychlorinated terphenyls, Dibromodifluoromethane, Benzaldehyde etc.
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-


3. The proposal has been considered by SEIAA in its 146th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to submit approval letter from MIDC Authorities for allotment of land to be used for the development of green belt.
II	PP to implement the CER plan in consultation with the District Collector.
III	PP to identify the sources of noise pollution and take measures to reduce noise level on site like provision of acoustic enclosures, isolation of noise making equipments, etc.
IV	PP to include Oil & Grease parameter in the soil and ground water samples monitoring.
V	PP stated that in order to provide green belt they made agreement with adjacent land owners for 4 years and it will get renewed accordingly for green belt development. PP to submit undertaking regarding same.
VI	PP to submit CER plan to District Collector and acknowledgment to be submitted to Member Secretary, SEIAA.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
----------	--

<p>SEIAA Meeting No: 146 Meeting Date: December 5, 2018 (SEIAA-STATEMENT-000000678) SEIAA-MINUTES-0000000782 SEIAA-EC-0000000575</p>	<p>Page 11 of 13</p>	 Shri. Anil Diggikar (Member Secretary SEIAA)
---	-----------------------------	--

II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER PUNE
10. MUNICIPAL COMMISSIONER SATARA
11. REGIONAL OFFICE MPCB PUNE
12. REGIONAL OFFICE MIDC PUNE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
14. COLLECTOR OFFICE PUNE
15. COLLECTOR OFFICE SATARA
16. COLLECTOR OFFICE SOLAPUR

Government of
Maharashtra